

# Material Safety Data Sheet (MSDS) of MSDS of Natural Asphalt

**SECTION 1: IDENTIFICATION** GILSONITE

Gilsonite DGP, Gilsonite XMP

Drilling fluid additive

OTHER MEANS OF IDENTIFICATION:

None known

RECOMMENDED USE: ADD: 2406 OF THE BURLINGTON TOWER,

RESTRICTIONS ON USE:

SUPPLIER IDENTIFIER:

BUSINESS BAY, DUBAI-UAE
TEL:0097145681743

CELL:00971543033231

**EMERGENCY PHONE NUMBER:** 

### **SECTION 2: HAZARD IDENTIFICATION**

CLASSIFICATION: Not hazardous per part 2 of the HPR

LABEL SYMBOLS:

SIGNAL WORD:

CLASSIFICATION INFORMATION:

PRECAUTIONARY STATEMENTS:

Not applicable

Not applicable

OTHER HAZARDS: Caution: If dust is created during use it can create a dust explosion hazard.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

CHEMICAL NAMECAS NUMBERCONCENTRATIONGilsonite12002-43-695 - 100%

#### **SECTION 4: FIRST AID MEASURES**

SKIN CONTACT: Remove contaminated clothing and wash affected area thoroughly with water and soap. If

irritation occurs, and persists, obtain medical attention.

EYE CONTACT: Do not rub eyes. Immediately flush with gently flowing warm water 15 minutes. Obtain

medical attention if irritation persists.

INGESTION: Rinse mouth and give 1 to 2 glasses of water. If symptoms occur, or large amount ingested,

obtain medical attention. Never give anything by mouth if victim is unconscious, rapidly

losing consciousness or convulsing.

INHALATION: Move to area free from dust. If victim is not breathing, if breathing is irregular or if

respiratory arrest occurs, provide artificial resp<mark>iration or oxygen by trained personnel. If</mark>

breathing difficulties or distress continues obtain medical attention.

MOST IMPORTANT SYMPTOMS / EFFECTS: No known acute health effects are expected as a result of contact with this product.

Prolonged or repeated skin contact may cause dermatitis. Repeated contact may cause skin

sensitization.

IMMEDIATE MEDICAL ATTENTION /

SPECIAL TREATMENT:

Treat symptomatically.

# **SECTION 5: FIRE-FIGHTING MEASURES**

Use water spray, foam, dry chemical or carbon dioxide to extinguish.

Nor

UNSUITABLE EXTINGUISHING MEDIA: POTENTIAL COMBUSTIBLE DUST HAZARD. Powdered material may form explosive dust-air SPECIFIC FIRE HAZARDS: mixture, which can be ignited by a spark heat or flame. When evaluating the dust explosion

hazard of a specific process or sample of material, the important factors to consider include:







particle size and shape, dust concentration, the nature of any impurities, oxygen concentration, humidity, and extent of containment. Gilsonite is classified as St-2, strong explosion, under OSHA Directive Number CPL-03-00-008. Particulates may accumulate static electricity.

HAZARDOUS COMBUSTION PRODUCTS:

Formaldehyde, oxides of carbon, oxides of nitrogen and other irritating and toxic fumes may

be formed in a fire.

SPECIAL PROTECTIVE EQUIPMENT &

Self-contained breathing apparatus required for fire-fighting personnel.

PRECAUTIONS:

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIMENT AND EMERGENCY PROCEDURES

Wear appropriate safety gear including eye and respiratory protection. Eliminate ignition sources. Avoid generation of dusts during clean-up. Wet product may create a slipping hazard.

#### METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

Collect dry material by vacuum or by sweeping and shoveling. Collect uncontaminated material for repackaging. Collect contaminated material in an approved container for disposal. Flush spill area thoroughly with water once all traces of material are swept up.

### **SECTION 7: HANDLING AND STORAGE**

#### PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes or prolonged skin contact. Use good personal hygiene and housekeeping. Avoid dust formation. Avoid breathing dust. Launder contaminated clothing before reuse. If material is ground, cut or used in any operation which may generate dusts, use appropriate explosion- proof local exhaust ventilation.

#### **CONDITIONS FOR SAFE STORAGE & INCOMPATIBILITIES**

Store in a cool, dry, well-ventilated place away from incompatible materials and ignition sources.

# SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: No information available.

ENGINEERING CONTROLS: Use only with adequate ventilation. If user operations generate dust use process enclosure,

local exhaust ventilation or other engineering controls to keep worker exposure below limits.

PERSONAL PROTECTIVE MEASURES

RESPIRATORY PROTECTION: Approved dust masks recommended for dust levels below TLV. Use a properly fitted

particulate filter respirator complying with an approved standard if airborne concentrations

exceeds TLV or if a risk assessment indicates this is necessary.

PROTECTIVE GLOVES: PVC or other plastic material gloves recommended.

EYE PROTECTION: Safety glasses with side-shields.

OTHER PROTECTIVE EQUIPMENT (SPECIFY): Protective clothing as required to prevent contact. Ensure eye-wash station and emergency

shower are available.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE: Black powder
ODOUR: Odourless
ODOUR THRESHOLD: Not applicable
pH: Not available
MELTING POINT / FREEZING POINT: Not available
BOILING POINT / RANGE: Not available
FLASH POINT: 310°C

EVAPORATION RATE: Not applicable







FLAMMABILITY:

Combustible

FLAMMABILITY / EXPLOSIVE LIMITS:

Not available

VAPOUR PRESSURE:

VAPOUR DENSITY:

RELATIVE DENSITY:

SOLUBILITY:

Not applicable

1.04 – 1.08

Insoluble in water

PARTION COEFFICIENT: Not available
AUTO-IGNITION TEMPERATURE: 500°C

DECOMPOSITION TEMPERATURE: 550°C

VISCOSITY: Not applicable

### **SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY: Not reactive. CHEMICAL STABILITY: Stable.

POSSIBILITY OF HAZARDOUS REACTIONS: Not available.

CONDITIONS TO AVOID: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

INCOMPATIBLE MATERIALS: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Not available.

### SECTION 11: TOXICOLOGICAL INFORMATION

PRODUCT TOXICITY: Not available

SKIN CONTACT: Mild skin irritant. Repeated or prolonged contact may cause dermatitis. Repeated contact

may cause skin sensitization.

EYE CONTACT: May cause mechanical irritation.

INGESTION: No effects expected from ingestion of small quantities.

INHALATION:

Dust may cause irritation including coughing and sneezing.

CARCINOGENICITY:

Not considered to be carcinogenic as per IARC, NTP or OSHA.

TERATOGENICITY: No information available.

REPRODUCTIVE TOXICITY: No information available.

MUTAGENICITY: No information available.

CHRONIC TOXICITY: No information available.

TARGET ORGAN EFFECTS: None known.

### **SECTION 12: ECOLOGICAL INFORMATION**

ECOTOXICITY:

PERSISTENCE AND DEGRADABILITY:

BIOACCUMULATIVE POTENTIAL:

MOBILITY IN SOIL:

OTHER ADVERSE EFFECTS:

Not available.

Not available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with federal, provincial and local regulations. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal.







# **SECTION 14: TRANSPORTATION INFORMATION**

**TDG** Not regulated DOT Not regulated IATA Not regulated **IMDG** Not regulated UN NUMBER: Not applicable PROPER SHIPPING NAME: Not applicable CLASS: Not applicable PACKING GROUP: Not applicable IMDG HAZARDS: Not applicable **BULK TRANSPORT:** Not applicable SPECIAL PRECAUTIONS: None

# **SECTION 15: REGULATORY INFORMATION**

DSL: Components are listed or exempt from listing.

WHMIS CLASS: None

TSCA: Components are listed or exempt from listing.

# **SECTION 16: OTHER INFORMATION**

REVISION DATE: November 8, 2019
REPLACES: June 26, 2018

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.

